




Credit: Kate Tiffin
Credit: Andrew Taylor

Featuring: Extra heavy duty Stonehouse
corded track in white




Stonehouse Extra Heavy Duty Coded



Extra heavy duty corded track which will take curtains up to 80kg. The curved styling makes it a very attractive option where heavy Surf curtains or long drops are required.



Available in White and Grey



COMPATIBLE WITH
SURF



- | | |
|--------------------|--|
| 1. ST/TF | Top Fix Clamp - up to 25kg |
| 2. ST/HDTF | Heavy Duty Top Fix Clamp - up to 80kg |
| 3. ST/FFW/40 | Face Fix Bracket - up to 25kg |
| 4. ST/SAB | Standard Adjustable Bracket 88 - 128mm |
| ST/LAB | Long Adjustable Bracket 140 - 180mm |
| 5. SUR/BRAKE | Surf Brake |
| 6. SUR/TAPE | Surf Heading Tape |
| 7. SUR/80 & SUR/60 | Surf 80mm/ 60mm Glider Ribbon |
| 8. SRO/80 & SRO/60 | Surf 80mm/ 60mm Roller Gliders |
| 9. WCG | Wide Channel Glider |
| 10. ST/RG | Roller Glider |
| 11. ST/CB | Connecting Bridge |




Std. radius 30cm
Forward • Reverse • Gradual

Painswick Heavy Duty Corded

A track with large roller gliders and enclosed cord channels enabling it to be forward and reverse bent - excellent for bay windows and heavy curtains.



Only available in White



- | | |
|------------------|---|
| 1. LLTF | Top Fix Leverlock Bracket |
| 2. LLUF/42-66-84 | 3 sizes of Universal Leverlock Brackets |
| 3. TRA/LBKTCOV | Face Fixed L Bracket & Cover - Long 10.7cm |
| 4. TRA/SBKTCOV | Face Fixed L Bracket & Cover - Standard 6.5cm |
| 5. BP/RG | Roller Glider |
| 6. BP/I | Intermediate Pulley |
| 7. BP/CB | Connecting Bridge |




Std. radius 18cm
Forward • Reverse • Gradual

Berkeley Medium-Heavy Duty Corded


A track with enclosed cord channels, enabling it to be forward and reverse bent - perfect for bay windows. The Berkeley corded can be operated from one side or both sides using an intermediate pulley.




Only available in White



COMPATIBLE WITH
SURF



Weight Guide
(straight pair of curtains)



Standard Glider - 32mm

Surf - 32mm

Surf Roller Glider - 37mm

- | | |
|--------------------|---|
| 1. LLTF | Top Fix Leverlock Bracket |
| 2. LLUF/42-66-84 | 3 sizes of Universal Leverlock Brackets |
| 3. TRA/LBKTCOV | Face Fixed L Bracket & Cover - Long 10.7cm |
| 4. TRA/SBKTCOV | Face Fixed L Bracket & Cover - Standard 6.5cm |
| 5. SUR/BRAKE | Surf Brake |
| 6. SUR/TAPE | Surf Heading Tape |
| 7. SU/80 & SU/60 | Surf 80mm/ 60mm Glider Ribbon |
| 8. SRO/80 & SRO/60 | Surf 80mm/ 60mm Roller Gliders |
| 9. WCG | Wide Channel Glider |
| 10. BP/I | Intermediate Pulley |
| 11. BP/CB | Connecting Bridge |



Std. radius 18cm
Forward • Reverse • Gradual

Broadway Medium Duty Corded

This track can be forward and reverse bent and therefore perfect for bay windows.
Operation for the corded Broadway can be from one or both sides when using an intermediate pulley.



White



Satin Silver



Satin Black



Satin Bronze




1.

2.



3.




4.


5.



6.



7.




8.



COMPATIBLE WITH
SURF




9.




10.



Standard Glider- 33mm



Surf - 33mm



Roller Glider- 33mm
Surf Roller Glider- 38mm

1. WCG
2. BR/RG
3. BR/TF
4. TRA/LBKTCOV
5. TRA/SBKTCOV
6. SUR/BRAKE
7. SUR/TAPE
8. SU/80 & SU/60
9. SRO/80 & SRO/60
10. BR/I



- Wide Channel Glider
Roller Glider
Top Fix Clamp
Face Fixed L Bracket & Cover - Long 8cm
Face Fixed L Bracket & Cover - Standard 3.8cm
Surf Brake
Surf Heading Tape
Surf 80mm/ 60mm Glider Ribbon
Surf 80mm/ 60mm Roller Gliders
Intermediate Pulley



Std. radius 20cm
Forward • Reverse • Gradual

Stonehouse Extra Heavy Duty Uncorded

Extra heavy duty uncorded track which will take curtains up to 80kg. The curved styling makes it a very attractive option where heavy Surf curtains or long drops are required.



- | | |
|--------------------|--|
| 1. ST/TF | Top Fix Clamp - up to 25kg |
| 2. ST/HDTF | Heavy Duty Top Fix Clamp - up to 80kg |
| 3. ST/FFW/40 | Face Fix Bracket - up to 25kg |
| 4. ST/SAB | Standard Adjustable Bracket 88 - 128mm |
| 5. ST/LAB | Long Adjustable Bracket 140 - 180mm |
| 6. SUR/BRAKE | Surf Brake |
| 7. SUR/TAPE | Surf Heading Tape |
| 8. SUR/80 & SUR/60 | Surf 80mm/ 60mm Glider Ribbon |
| 9. SRO/80 & SRO/60 | Surf 80mm/ 60mm Roller Gliders |
| 10. WCG | Wide Channel Glider |
| 11. ST/RG | Roller Glider |
| 12. ST/CB | Connecting Bridge |






Standard radius 30cm
Forward • Reverse • Gradual

Painswick Heavy Duty Uncorded

Heavy duty uncorded track with large roller gliders. It can be forward and reverse bent - excellent for bay windows and heavy curtains!



Only available in White



Roller Glider - 34mm



- | | | |
|----|---------------|---|
| 1. | LLTF | 3 sizes of Universal Leverlock Brackets |
| 2. | LLUF/42-66-84 | Top Fix Leverlock Bracket |
| 3. | TRA/LBKTCOV | Face Fixed L Bracket & Cover - Long 10.7cm |
| 4. | TRA/SBKTCOV | Face Fixed L Bracket & Cover - Standard 6.5cm |
| 5. | BP/RG | Roller Glider |
| 6. | BP/CB | Connecting Bridge |
| 7. | WCSE | Wide Channel Screw Eye |




Standard radius 18cm
Forward • Reverse • Gradual

Berkeley Medium-Heavy Duty Uncorded

Medium-heavy duty uncorded track which can be forward and reverse bent - excellent for bay windows.










- | | | |
|-----|-----------------|---|
| 1. | LLTF | Top Fix Leverlock Bracket |
| 2. | LLUF/42-66-84 | 3 sizes of Universal Leverlock Brackets |
| 3. | TRA/LBKTCOV | Face Fixed L Bracket & Cover - Long 10.7cm |
| 4. | TRA/SBKTCOV | Face Fixed L Bracket & Cover - Standard 6.5cm |
| 5. | SUR/BRAKE | Surf Brake |
| 6. | SUR/TAPE | Surf Heading Tape |
| 7. | SU/80 & SU/60 | Surf 80mm/ 60mm Glider Ribbon |
| 8. | SRO/80 & SRO/60 | Surf 80mm/ 60mm Roller Gliders |
| 9. | BP/CB | Connecting Bridge |
| 10. | WCG | Wide Channel Glider |
| 11. | WCTE | Wide Channel Twist Eye |




Broadway Medium Duty Uncorded


Medium duty uncorded track with an attractive form especially suited to the contemporary Surf look!. Can be forward and reverse bent, excellent for bay windows.



COMPATIBLE WITH
SURF



Standard Glider - 33mm



Surf - 33mm



Roller Glider - 33mm
Surf Roller Glider - 38mm


1. BR/TF Top Fix Clamp
2. TRA/LBKTCOV Face Fixed L Bracket & Cover - Long 8cm
3. TRA/SBKTCOV Face Fixed L Bracket & Cover - Standard 3.8cm
4. SUR/BRAKE Surf Brake
5. SUR/TAPE Surf Heading Tape
6. SU/80 & SU/60 Surf 80mm/ 60mm Glider Ribbon
7. SRO/80 & SRO/60 Surf 80mm/ 60mm Roller Gliders
8. BR/RG Roller Glider
9. WCG Wide Channel Glider
10. WCTE Wide Channel Twist Eye
11. BR/CB Connecting Bridge



Standard radius 20cm
Forward • Reverse • Gradual


Mini Broadway Light Duty Uncorded

The Mini Broadway uncorded is a discreet top fix track for light weight curtains and voiles.






COMPATIBLE WITH
SURF

- | | |
|------------------|-------------------------------|
| 1. WCG | Wide Channel Glider |
| 2. WCTE | Wide Channel Twist Eye |
| 3. SUR/BRAKE | Surf Brake |
| 4. SU/80 & SU/60 | Surf 80mm/ 60mm Glider Ribbon |
| 5. MB/CB | Connecting Bridge |
| 6. MB/TF | Top Fix Clamp |




Burford Medium Duty Uncorded

A discreet top fix track for medium weight curtains and nets. Available in silver and white, this track is pre-drilled every 150mm for ease of fixing. It can also be fixed into concrete using special clamps.



COMPATIBLE WITH
SURF

- | | |
|--------------------|--------------------------------|
| 1. SUR/BRAKE | Surf Brake |
| 2. SU/80 & SU/60 | Surf 80mm/ 60mm Glider Ribbon |
| 3. SRO/80 & SRO/60 | Surf 80mm/ 60mm Roller Gliders |
| 4. WCG | Wide Channel Glider |
| 5. BU/CFC | Concrete Fixing Clamp |



Standard radius 10cm
Forward • Reverse • Gradual

The Curve Medium Duty Uncorded

The Curve is a medium duty track that is often used with Surf curtains because of its clean form. Predominantly top fix, however face fix brackets are available upon request. Often used for large contract projects as it presents excellent value for money!




White



Satin Black




4.




5.



1.



6.




2.

3.

COMPATIBLE WITH
SURF




7.




8.

9.


10.




11.



Standard Glider - 24mm



Surf - 24mm



Roller Glider - 26mm Surf
Roller Glider - 29mm


1. TC/TF Top Fix Clamp
2. TRA/LBKTCOV Face Fixed L Bracket & Cover - Long 8cm
3. TRA/SBKTCOV Face Fixed L Bracket & Cover - Standard 3.8cm
4. SUR/BRAKE Surf Brake
5. SUR/TAPE Surf HeadingTape
6. SU/80 & SU/60 Surf 80mm/ 60mm Glider Ribbon
7. SRO/80 & SRO/60 Surf 80mm/ 60mm Roller Gliders
8. TC/RG Roller Glider
9. WCG Wide Channel Glider
10. WCTE Wide Channel Twist Eye
11. TC/CB Connecting Bridge

Credit: SoJojo
Credit: MAK Interiors



Fixing Details


Berkeley/Painswick



Berkeley/ Painswick brackets to be positioned 10cm in from each end and max. 60cm centres in between.


Broadway/ The Curve/ Mini Broadway

Burford




Broadway/ Curve top-fix ceiling brackets to be positioned 10cm from each end and max. 50cm centres in between.

Mini Broadway top-fix ceiling brackets to be positioned 10cm from each end and max. 30cm centres in between.



Use thin gauge screws to fix through pre-drilled holes if fixing directly into wood.


Take care not to damage the glider channel by using a screw head that is too large.



These Concrete Fixing Clamps (CFC) allow fixing into plasterboard etc as a larger screw can be used behind the track.


Burford CFC's to be positioned 10cm from each end and max 30cm centres in between.

Stonehouse




Standard Stonehouse top-fix ceiling brackets - max. capacity of 25kg curtain weight.

Position 10cm from end and max. 60cm centres in between.



Standard Stonehouse face-fix wall brackets - max. capacity of 25kg curtain weight.

Position 10cm from end and max. 60cm centres in between.




Heavy Duty Stonehouse top-fix ceiling brackets - max. capacity of 80kg curtain weight.

Position 10cm from end and max. 60cm centres in between.

Fixing centres may need to be decreased depending on the weight of the curtains and substratum that is being fixed into. If any doubt, please order more brackets at time of placing the order.

Bracket Specification



	Standard Adjustable Bracket (Wall to centre of track)	Long Adjustable Bracket (Wall to centre of track)
Stonehouse	75 - 115 mm	140 - 180 mm

	Face Fixed L Bracket & Cover - Standard (Wall to centre of track)	Face Fixed L Bracket & Cover - Long (Wall to centre of track)
Mini Broadway	132 mm	80 mm
Broadway	115 mm	80 mm
The Curve	132 mm	80 mm
Berkeley	132 mm	107 mm
Painswick	132 mm	107 mm